System and Method for Controlling the Acoustic Signature of a Device

First Named Inventor: Docket No.:

Berson, Barry L. SAI.P004 US





FIG. 1

System and Method for Controlling the Acoustic Signature of a Device Berson, Barry L. SAI.P004 US

First Named Inventor: Docket No.:






FIG. 2B

System and Method for Controlling the Acoustic Signature of a Device Berson, Barry L. SAI.P004 US

First Named Inventor: Docket No.:





FIG. 2C

System and Method for Controlling the Acoustic Signature of a Device

First Named Inventor: Docket No.:

Berson, Barry L. SAI.P004 US



System and Method for Controlling the Acoustic Signature of a Device

First Named Inventor: Docket No.:

Berson, Barry L. SAI.P004 US

5/8




FIG. 4A

Title: First Named Inventor:

System and Method for Controlling the Acoustic Signature of a Device

First Named Inventor: Be Docket No.: SA

Berson, Barry L. SAI.P004 US




FIG. 4B

Title: First Named Inventor:

System and Method for Controlling the Acoustic Signature of a Device

First Named Inventor: Berson, Barry L. Docket No.: SAI.P004 US




FIG. 5

Title: First Named Inventor: Docket No.: System and Method for Controlling the Acoustic Signature of a Device Berson, Barry \boldsymbol{L} .

SAI.P004 US

